CROWN SEPTIC TANK SOLUTION




VEAM OF LYDILLING

POLYPROPYLENE (PP)

Why go through the tedious task of constructing a costly conventional septic tank?

Now you can have a hassle-free, easy to install, modern Crown Septic-Tech convenience for half less the cost!



Made of Polypropylene material, it has the strength to withstand fairly heavy loads that may last up to 40 years!

Advantage Features!

- Built for structural safety
- Longer-lasting durability
- Fast and easy to install
- Easy to transport
- 3-Chamber System with final Fluid filter system
- Water-tight design
- Hassle-free Maintenance
- Less cost and economical
- · Hygienic and environment-safe
- Value for money

Crown Sewage Treatment Filter System

Maximum hygiene protection system for environmental safety.

















200 Liters



POLYPROPYLENE (PP)




Specifications (Septic Tank)						
Capacity	Diameter	Length	Height	Weight	Household	
1200 Liters	1000mm	1800mm	1020mm	61.50kg	6-8 persons	

Crown Sewage Treatment Filter System				
Capacity	-	100Liters		
Diameter		490mm		
Height	-	645mm		
Weight		11.50kg		


INSTALLATION STEPS:

STEP 1. Lay the bottom half shell.

STEP 2 Fix the two partition boards to the edge buckle.



STEP 4 Align and insert top cover partition board slot guide and press down.



Install pipe with rubber gasket into the manhole hub.




















USE QUALITY RUBBER SEALANT TO ENSURE WATER-TIGHT SAFETY AND PROTECTION.

Tools Needed





crown_pipes